





Genuine Husqvarna accessories

Contents

- 3 Safety kits
- 4 Head protection
- 6 Hearing & face protection
- 8 Foot protection
- 9 Clothing
- 16 Work and safety pants
- 20 First aid / fire
- 21 Safety apparel warranty
- 22 Chain saw accessories
- 28 Forestry accessories
- 37 Power cutter accessories
- 40 Trimmer & brushcutter accessories
- 51 Common accessories

For current up to date pricing please consult your nearest authorized Husqvarna dealer.

Safety kits

Protective Powerkit™ - Demanding Consumer

- Everything needed to outfit a professional chainsaw user in a profiled sales box with handle.
- Just pick up the box and go.
- Consists of:

| 1 | 531308473 | Pro Forest Woodsman Hi-Viz Helmet |
|---|-----------|--|
| 1 | 531305304 | Husqvarna Wrap Chap, BNQ/cUL Certified |
| | | |

1 pair 531300274 Xtreme Duty Work Gloves (Large)

1 531309038 Safety Glasses

SKU

531 30 66-65*

* Not available for British Columbia



Protective Powerkit[™] - Consumer

- Everything needed to outfit a professional chainsaw user in a profiled sales box with handle.
- Just pick up the box and go.
- Consists of:

| 1 | 505665358 | Mesh Visor with Hearing Protectors |
|--------|-----------|--|
| 1 | 531301101 | Blue Husqvarna Protective (Consumer) Chap, |
| | | BNQ/cUL Certified |
| 1 pair | 531300274 | Xtreme Duty Work Gloves (Large) |

1 531309038 Safety Glasses

SKU

531 30 66-67

















Head protection

Helmet system - Husqvarna

- Helmet with replaceable liner attached at six points, fiber sweatband, air vents and cut-outs over ears to accommodate hearing protectors. Resistant to UV light.
- Visor with rectangular mesh gives excellent visibility and water run-off. Visor and visor holder available separately.
- Hearing protectors can be adjusted vertically and sideways. Patented design of spring and cushion provide excellent noise reduction despite low pressure.

| SKU | |
|--------------|--|
| 505 67 55-15 | Pro Forest Helmet – 6 point suspension helmet - Complete with visor, hearing protectors, and neck guard |
| 505 66 55-00 | Case of 6 505675515 – Not individually packaged |
| 505 67 53-25 | Pro Arborist Helmet – The same as the Pro Forest Woodsman Helmet, with 6 point suspension, an upgraded leather headband, a chin strap and cut off brim for increased upward visibility. Meets ANSI Z89.1-1997 Class G-E-C standards. |

Replacement parts for pro forest and pro arborist helmet 505 67 53-18 [1] Sweatband 505 67 53-30 [2] 6 pt suspension 505 66 53-30 [2] 4 pt. suspension - Old - does not fit the above helmet 505 67 53-40 [3] Helmet Adapter 505 66 53-06 Neck Protector (Bib) - Plastic only 505 66 53-37 Visor Brim, Clip on





505 66 53-06

Helmet systems

 505 66 53-19 nylon screen, 505 66 53-28 visor, 505 66 53-25 24db muffs (does not include helmet)

SKU

504 98 17-30 Ear protection, with poly screen visor.







505 66 53-37



Head protection

Helmets & liner

| SKU | |
|--------------|---|
| 531 30 84-73 | Husqvarna Muff and Visor Kit 531305441 and 504981730 With clip adjustment |
| 531 30 84-74 | Husqvarna Muff and Visor Kit 531305441 and 504981730 with ratchet adjustment |
| 531 30 84-75 | Husqvarna Muff and Visor Kit 531305447 and 504981730 with ratchet adjustment and impact resistant foam liner |
| 505 67 53-05 | Pro Forest Woodsman Hard Hat by Husqvarna - UV protected hard hat with 6-point adjustable suspension. Meets ANSI Z89.1-1997 Class G-E-C standards. New Hi-Viz Orange color for improved safety. |
| 531 30 54-43 | [A79R] Oris orange hardhat with 4 point ratchet suspension system |
| 531 30 54-41 | [A79] 4 point snap suspension system |
| 531 30 80-60 | Harness 6 Point Nylon w/Ratchet |
| 531 30 54-47 | [A89R] CSA Approved Oris orange hardhat with 4 point ratchet suspension |
| 531 30 64-83 | [A99R] CSA Approved Oris orange hardhat with 6 point ratchet suspension |
| 531 30 61-15 | [SPF-01] Red quilted liner, zippered bib, velcro closure on chin strap |
| 505 66 53-34 | Husqvarna suspension cloth |







Screens visors & adapters

| SKU | |
|--------------|--|
| 505 66 53-19 | Nylon net visor for Husqvarna hardhat |
| 505 66 53-21 | Metal net visor for Husqvarna hardhat |
| 505 66 53-43 | Plexi - clear visor for Husqvarna hardhat |
| 505 66 53-42 | Visor Attachment. |
| 531 30 54-66 | Metal black screen forestry visor - $7" \times 15\%"$ - with adaptor |
| 505 66 53-28 | Visor holder for Husqvarna visors |







Hearing & face protection

Husqvarna muffs

| SKU | |
|--------------|---|
| 505 66 53-25 | Cap Muffs – Ear protectors Includes hardhat adaptors Rated at 24 dB |
| 505 66 53-04 | Ear Muffs Lightweight, flexible padded headband Rated at 24dB. |
| 505 66 53-26 | Hygiene kit |
| 505 66 53-31 | Hygiene Absorbent Pads |



Gardener hearing protectors

- Extra wide headband for secure and comfortable fit and less pressure on scalp. Protectors are made of impact-resistant ABS plastic.
- Shipped in boxes of 10.

SKU

505 69 90-12 Garden Hear,(1 Pce,Individual)

Hearing protection with visor, Gardener

Extra wide headband for secure and comfortable fit and less pressure on head. The
protectors are made of impact-resistant ABS plastic. Complete with visor holder and
perspex visor.

SKU

505 66 53-60 Earmuffs W. Plexivisor

Plexiglas visor with headband hearing protectors

| SKU | |
|--------------|--|
| 505 66 53-48 | With pressure adjustment. 25dB(A) NRR. Note: Protective film layer for the Plexiglas must be removed from both sides of the Plexiglas. |
| 505 66 53-43 | Replacement Plexiglas visor |
| 505 66 53-63 | Replacement Visor Anti-Fog |



| SKU | |
|--------------|--|
| 505 66 53-58 | With pressure adjustment. 25dB(A) NRR. |
| 505 66 53-21 | Replacement mesh visor - metal |
| 505 66 53-19 | Replacement mesh visor - nylon |









Hearing & face protection

Husqvarna ear plugs

- Soft, smooth and incredibly comfortable.
- Dispenser Box for the counter or shelf for easy display.
- 200 pair per box and each pair is in a Husqvarna Logo bag.
- 29dB NRR. Meets ANSI S3.19-1974 and CSA Standards.
- MSRP .28 ea.

SKU

505 66 53-89

Husqvarna Ear Plugs 200 Pair



Protective glasses

• Screen style

SKU

531 30 84-77

Eyewear Forester Wire Mesh



Xtreme protective glasses

- Extreme style, extreme performance! Incredibly lightweight for all day wear.
- Full side and brow protection along with a soft nosepiece for added comfort.
- Gunmetal frame with Revo mirrored, polycarbonate lens provides 99.9% UV protection and meets ANSI Z87.1 and CSA Z94.3 safety standards.

SKU

531 30 00-11

Xtreme Safety Glasses



Lexa protective glasses

- $\bullet\,$ It's design is totally unobtrusive virtually invisible to the wearer.
- No distracting side shields to reduce peripheral vision.
- Refined, sleek Duralite $^{\text{TM}}$ Polycarbonate Lens with DX Anti-Fog Hard Coat which guards against fogging, scratching, and static.
- Lightweight. 99.9% UV protection.
- Adjustable lens angle and temple length.
- Meets ANSI Z87.1 and CSA-Z94.3 standards.
- · Husqvarna branded.



Foot protection

Husqvarna light 28 caulk sole

- Meets OSHA Regulation 1910.266.
- Natural rubber with cotton pile lining, 4 layer insole, ankle-guard and heel grip.
- Steel toe meets ANSI and CSA standards.
- Waterproof. Oil resistant caulked sole.
- ANSI Z41-1999 I/75 C/75. U.S. sizes are listed in a range due to conversion from European sizes.
- Order 1 U.S. full size larger if using a felt liner.
- The U.S. sizes stamped on the inside of the boot may not match the shoe size conversions in the information given.

| SKU | Size | Euro | Liner |
|--------------|------|------|--------|
| 531 30 13-90 | 5 | 37 | Small |
| 531 30 13-91 | 6 | 38 | Small |
| 531 30 13-92 | 7 | 39 | Small |
| 531 30 92-44 | 8 | 41 | Small |
| 531 30 13-94 | 9 | 42 | Medium |
| 531 30 13-85 | 10 | 43 | Medium |
| 531 30 13-86 | 11 | 44 | Large |
| 531 30 13-87 | 12 | 46 | XLarge |
| 531 30 13-88 | 13 | 47 | XLarge |
| 531 30 13-89 | 14 | 48 | XLarge |
| 531 30 84-94 | 15 | 50 | N/A |



Light 28 boot cloth top

- Chain saw resistant, meets OSHA Regulation 1910.266.
- Natural rubber with cotton pile lining,
- 4 layer insole, ankle-guard and heel grip, Steel toe meets ANSI and CSA standards.
- Waterproof. Oil resistant sole, Optional liners and Studs.
- ANSI Z41-1999 I/75 C/75.
- U.S. sizes are listed in a range due to conversion from European sizes.

| SKU | Size | Euro |
|--------------|----------|------|
| 544 02 79-37 | 5 | 37 |
| 544 02 79-38 | 6 | 38 |
| 544 02 79-39 | 6½ - 7 | 39 |
| 544 02 79-40 | 71/2 | 40 |
| 544 02 79-41 | 8 - 81/2 | 41 |
| 544 02 79-42 | 9 | 42 |
| 544 02 79-43 | 10 | 43 |
| 544 02 79-44 | 10½ - 11 | 44 |
| 544 02 79-45 | 11½ | 45 |
| 544 02 79-46 | 12 | 46 |
| 544 02 79-47 | 13 | 47 |
| 544 02 79-48 | 14 | 48 |
| 544 02 79-49 | 14½ | 49 |
| 544 02 79-50 | 15 - 15½ | 50 |



 Order 1 U.S. full size larger if using a felt liner. The U.S. sizes stamped on the inside of the boot may not match the shoe size conversions in the information given.

Foot protection

Boot liners

- Felt liner for the Rubber Logging Boots
- Reinforced heel with open front.
- Helps keep your feet warm and dry for longer time periods.
- Actual product may vary from picture slightly.

| SKU | | Size |
|--------------|--------|---------|
| 605 00 02-15 | NBL-S | 7,8 |
| 605 00 02-16 | NBL-M | 9,10,11 |
| 605 00 02-17 | NBL-L | 12 |
| 605 00 02-18 | NBL-XL | 13,14 |

- Thinner Felt / Nylon Liner
- Reinforced heel
- Helps keep feet warm and dry for longer periods
- Can use your summer boot

| SKU | Size |
|--------------|------|
| 531 30 80-94 | 7 |
| 531 30 80-95 | 8 |
| 531 30 80-96 | 9 |
| 531 30 80-97 | 10 |
| 531 30 80-98 | 11 |
| 531 30 80-99 | 12 |
| 531 30 81-00 | 13 |
| 531 30 81-01 | 14 |
| 531 30 81-02 | 15 |

Socks

| SKU | Description |
|--------------|---|
| 531 30 80-67 | Thermal Socks 70% wool - 30% nylon |
| 531 30 80-68 | Thermal Socks 85% wool - 12% nylon - 3% lycra |

Studs

• Set of 35 studs c/w tool for installing into tread boots

| SKU | |
|--------------|--|
| 505 65 43-61 | Stud Kit/Husqvarna Boots. |
| 531 30 61-74 | Replacement studs for steel caulk boot (52 per pack) |
| 531 30 61-75 | Caulk wrench |









Clothing

Heavy duty leather work gloves

- Top grain reinforced leather palm for superior strength.
- Shirred elastic Breathrite[™] vented back to reduce fatigue and it also allows for cool, comfortable use.
- Extended split leather cuff with a Velcro closure, and full wrap thumb.
- · Husqvarna logo.

SKU

531 03 07-67



Xtreme duty work gloves

- Designed for multiple jobs such as rope/cable or wood handling, filing and other everyday jobs.
- Heavy duty pig skin designed with a double reinforced split grain leather palm, thumb and index finger where reinforcement is needed most.
- · Gunn cut with a shirred elastic back for a snug, secure fit.
- · Husqvarna branded.

| SKU | |
|--------------|---------|
| 531 30 02-73 | Medium |
| 531 30 02-74 | Large |
| 531 30 02-75 | X-Large |



Chain saw protective gloves

- Chain saw protective material in the back of the left hand.
- Reinforced leather palm with a polyester back.

| SKU | |
|--------------|------------------------------|
| 505 64 22-09 | Medium – Velcro closure. |
| 505 64 22-10 | Large – Velcro closure |
| 505 64 20-18 | Size 8 small – Elastic cuff. |
| 505 64 20-19 | Size 9 medium – Elastic cuff |
| 505 64 20-20 | Size 10 large – Elastic cuff |
| 505 64 20-22 | Size 12 XL – Elastic cuff |



Mitts - Trigger Finger

- · Shaped reinforced palm.
- Exposed areas are seamless and are reinforced with leather.
- Waterproof kid leather palm and hard-wearing water-repellent polyester back.
- Orange, blue, and gray leather.
- With trigger finger

| SKU | |
|--------------|------------------------------|
| 505 64 16-18 | Size 8 (S) – Elastic Cuffs |
| 505 64 16-19 | Size 9 (M) – Elastic Cuffs |
| 505 64 16-20 | Size 10 (L) – Elastic Cuffs |
| 505 64 16-22 | Size 12 (XL) – Elastic Cuffs |



Wool Gloves/Mitts

• Knit mitt insert for 5056416xx and 5056420xx

| SKU | |
|--------------|--|
| 531 30 80-65 | Gloves - 70% wool & 30% nylon |
| 531 30 80-66 | One finger mitts 70% wool & 30% nylon |



Master Grip Gloves

- A breathable and comfortable grey poly-cotton glove dipped in blue latex to provide a masterful grip in wet or dry conditions.
- Excellent for any job such as rope and tool handling along with weeding and other everyday jobs.

| SKU | |
|--------------|--------|
| 531 30 02-70 | Medium |
| 531 30 02-71 | Large |
| 531 30 02-72 | XLarge |



Cap / tuque

• Husqvarna, Black or Blue

| SKU | |
|--------------|------------------------------|
| 531 30 15-14 | Сар |
| 531 30 91-64 | Husqvarna Nb Prestige Xp Cap |
| 531 30 84-90 | Husqvarna Winter Tuque |



Clothing

Husqvarna T-shirt short sleeves

| SKU | |
|--------------|----------|
| 531 30 91-06 | Medium |
| 531 30 91-07 | Large |
| 531 30 91-08 | X Large |
| 531 30 91-09 | XX Large |



Husqvarna T-shirt long sleeves

| SKU | |
|--------------|----------|
| 531 30 91-04 | X Large |
| 531 30 91-05 | XX Large |



Husqvarna golf shirt

| SKU | |
|--------------|----------|
| 531 30 91-14 | Medium |
| 531 30 91-15 | Large |
| 531 30 91-16 | X Large |
| 531 30 91-17 | XX Large |



Husqvarna counter shirt

| SKU | |
|--------------|----------|
| 531 30 91-26 | Medium |
| 531 30 91-27 | Large |
| 531 30 91-28 | X Large |
| 531 30 91-29 | XX Large |



Husqvarna hooded sweatshirt

| SKU | |
|--------------|----------|
| 531 30 91-10 | Medium |
| 531 30 91-11 | Large |
| 531 30 91-12 | X Large |
| 531 30 91-13 | XX Large |



Husqvarna fleece jacket

| SKU | |
|--------------|----------|
| 531 30 91-18 | Medium |
| 531 30 91-19 | Large |
| 531 30 91-20 | X Large |
| 531 30 91-21 | XX Large |



Husqvarna service coat

| SKU | |
|--------------|----------|
| 531 30 91-22 | Medium |
| 531 30 91-23 | Large |
| 531 30 91-24 | X Large |
| 531 30 91-25 | XX Large |



Husqvarna rain suit

• Orange / blue

| SKU | | |
|--------------|--|--|
| 531 30 13-66 | | |
| 531 30 13-67 | | |
| 531 30 13-68 | | |
| 531 30 13-69 | | |
| 531 30 13-70 | | |
| 531 30 13-71 | | |



Clothing

Husqvarna Suspenders

- 2" Heavy duty cotton material specially woven to hold up to constant stretching.
- Husqvarna branded with a crack resistant latex.
- All Husqvarna Safety Pants are made with buttons for the button hole suspenders.
- Use the clip on suspenders for your chaps.

SKU

531 30 52-23 HBS - Button/Orange531 30 52-24 HCS - Clip/Orange



Husqvarna Back Pack

- Heavy duty Cordura $\mbox{\ ^{TM}\ }$ backpack.
- Rugged construction with "hidden rain coat" for rainy days.
- Mesh water bottle holder.
- Ergonomically designed with soft padding on the straps and the back of the pack.

SKU

505 69 99-94



Husqvarna Equipment Bag

- New and Improved heavy duty Cordura [™] gear bag.
- Rugged construction with plenty of room for all of your personal protective equipment and miscellaneous items.
- Large, separate, zippered end pockets for your workboots.
- Convenient detachable shoulder strap.

SKU

505 69 99-62



Work jackets

- Water resistant work jacket.
- \bullet Navy blue bottom is a 75% polyester and 25% cotton mix.
- The orange top is 100% nylon.
- Mesh ventilation underneath the outer panels.
- Over 120 sqcm of reflective tape on both the front and rear to excede distinguishing apparel requirements
- Front opening zipper
- Machine Washable.

| SKU | |
|--------------|-----------------|
| 531 30 65-92 | 34/36 Small |
| 531 30 65-93 | 38/40 Medium |
| 531 30 65-94 | 42/44 Large |
| 531 30 65-95 | 46/48 X Large |
| 531 30 65-96 | 50/52 XX Large |
| 531 30 65-97 | 54/56 XXX Large |





Forestry jacket

- Water resistant work jacket. Navy blue bottom is a 75% polyester and 25% cotton mix.
- The orange top is 100% nylon.
- Mesh ventilation underneath the outer panels.
- ullet 6-layers of RS2096 Teknit chain saw protection in shoulder, upper back, and chest area.
- Front opening zipper.
- Machine Washable.

| SKU | |
|--------------|----------------|
| 605 00 02-60 | 34/36 Small |
| 605 00 02-61 | 38/40 Medium |
| 605 00 02-62 | 42/44 Large |
| 605 00 02-63 | 46/48 X Large |
| 605 00 02-64 | 50/52 XX Large |



Forestry jacket - no protection

| SKU | |
|--------------|-----------|
| 531 30 86-74 | Small |
| 531 30 86-73 | Medium |
| 531 30 86-72 | Large |
| 531 30 86-75 | X Large |
| 531 30 86-76 | XX Large |
| 531 30 86-77 | XXX Large |



Brushcutter pants

.

| SKU | |
|--------------|-----------|
| 531 30 86-44 | Small |
| 531 30 86-43 | Medium |
| 531 30 86-42 | Large |
| 531 30 86-45 | X Large |
| 531 30 86-46 | XX Large |
| 531 30 86-47 | XXX Large |



BC summer pants

- Front protection,TSS3900 rating.
- WCB approved.
- 2 layers Supertec and 2 layers of NylonPolyester.
- Blue.
- 32" inseam.

| SKU | |
|--------------|-----------------------|
| 605 00 10-09 | 28-30 Waist – Small |
| 605 00 10-10 | 32-34 Waist – Medium |
| 605 00 10-11 | 36-38 Waist – Large |
| 605 00 10-12 | 40-42 Waist – Xlarge |
| 605 00 10-13 | 44-46 Waist – XXLarge |



BC fall/spring pants

- Front protection with a reinforced Nylon seat.
- TSS3900 rating.
- WCB approved.
- 2 layers of Supertec and 2 layers of Nylon Polyester.
- Blue Nylon/Knit.
- 32" inseam.

| SKU | |
|--------------|----------------------|
| 605 00 10-05 | 28-30 Waist – Small |
| 605 00 10-06 | 32-34 Waist – Medium |
| 605 00 10-07 | 36-38 Waist – Large |
| 605 00 10-08 | 40-42 Waist – Xlarge |



Timber King pants - TSS3900

- Front and rear protection extra 4" inside right leg and 4" outside left leg padding, with a reinforced Nylon seat.
- TSS3900 rating.
- · WCB approved.
- 2 layers of Supertec and 2 layers of Nylon Polyester.
- Blue Nylon/Knit.
- 32" inseam.

| 3KO | | | |
|---------|-------------------|--------|-------|
| BC Full | Protection | Summer | Pants |

| 531 30 52-93 | 28-30 Waist – Small | | | |
|--------------|-----------------------|--|--|--|
| 531 30 52-94 | 32-34 Waist – Medium | | | |
| 531 30 52-95 | 36-38 Waist – Large | | | |
| 531 30 52-96 | 40-42 Waist – Xlarge | | | |
| 531 30 52-97 | 44-46 Waist – XXLarge | | | |
| 531 30 52-98 | | | | |



| Be run i receded winter runs | | | | |
|------------------------------|------------------------|--|--|--|
| 531 30 52-87 | 28-30 Waist – Small | | | |
| 531 30 52-88 | 32-34 Waist – Medium | | | |
| 531 30 52-89 | 36-38 Waist – Large | | | |
| 531 30 52-90 | 40-42 Waist – Xlarge | | | |
| 531 30 52-91 | 44-46 Waist – XXLarge | | | |
| 531 30 52-92 | 48-50 Waist – XXXLarge | | | |
| | | | | |



Timber King pants - TSS4100

- Front and rear protection
- Extra 4" inside right leg and 4" outside left leg padding with a reinforced Nylon seat
- TSS4100 rating
- WCB approved
- 5 layers of Crowsfoot Kevnylon
- Blue Nylon/Knit
- 32" inseam

| SKU | | | |
|--------------|-----------------------|--|--|
| 531 30 62-92 | 28-30 Waist – Small | | |
| 531 30 62-88 | 32-34 Waist – Medium | | |
| 531 30 62-89 | 36-38 Waist – Large | | |
| 531 30 62-90 | 40-42 Waist – Xlarge | | |
| 531 30 62-91 | 44-46 Waist – XXLarge | | |



BNQ/cUL "A" style (deluxe summer)

- Blue Nylon front
- Knitted back for ventilation
- Front and back calf protection
- 32" inseam
- Raised back with elastic.

| SKU | | | |
|--------------|------------------------|--|--|
| 531 30 86-38 | 28-30 Waist – Small | | |
| 531 30 86-37 | 32-34 Waist – Medium | | |
| 531 30 86-36 | 36-38 Waist – Large | | |
| 531 30 86-39 | 40-42 Waist – Xlarge | | |
| 531 30 86-40 | 44-46 Waist – XXLarge | | |
| 531 30 86-41 | 48-50 Waist – XXXLarge | | |



Husqvarna Class "A" (deluxe winter)

- Blue Nylon front
- · Knitted back for ventilation
- Front and back calf protection
- 32" inseam
- Raised back with elastic.

| SKU | | | |
|--------------|------------------------|--|--|
| 531 30 86-56 | 28-30 Waist – Small | | |
| 531 30 86-55 | 32-34 Waist – Medium | | |
| 531 30 86-54 | 36-38 Waist – Large | | |
| 531 30 86-57 | 40-42 Waist – Xlarge | | |
| 531 30 86-58 | 44-46 Waist – XXLarge | | |
| 531 30 86-59 | 48-50 Waist – XXXLarge | | |



BC Chaps

- 100% Nylon Shell.
- Protection of 2 layers Supertec WCB of BC 1997-"1" TSS3900 rating.
- Protection is in the front from the crotch to the ankle.
- The SCHAP has added calf protection and a Cordura® shell.
- The overall length is 36"-38".
- · Overall length is from waist to ankle.

| SKU | | | | |
|--------------|--|--|--|--|
| 605 00 10-01 | CHAP 2 strap adjustment | | | |
| 531 30 53-03 | SG3900-AC Husqvarna 3900 Chap 3 strap adjustment | | | |
| | | | | |

Chaps – BNQ/cUL certified protection (CG9-A)

- 100% Nylon, 400 denier shell.
- Warp-Knit protection to meet BNQ/cUL Class "A" (3000 FPM minimum).
- Protection coverage is in the front from the ankle to the crotch and has calf protection.
- Orange. 36"-38" overall length.
- Overall length is from waist to ankle.
- Machine Washable.

| SKU | | |
|--------------|----------------------------|--|
| 531 30 53-04 | Chaps | |
| 531 30 53-06 | Replacement Buckle - Waist | |
| 531 30 53-07 | Replacement Buckle - Leg | |

Husqvarna Protective Chap (Consumer)

- Blue, 36"-38" overall length is from waist to ankle.
- Extremely lightweight apron chaps with a 400 Denier shell and 5 layers of warp knit Kevmalimo chain saw protection on the front and sides.
- Tool pocket.
- Meets BNQ/cUL Class "B" Certified.
- · Machine Washable.

SKU


531 30 11-01





First aid / fire

Chain saw protective pants and chaps contain material designed to reduce the risk or severity of an injury, and give the operator extra reaction time when contact is made by a moving chain. The cut retardant material is designed to "pull" apart and clog up the sprocket system of the chain saw and slow or stop the chain from rotating depending on the speed of the chain, length and angle of contact and the power of the saw. Protective pants and chaps should never be considered safer than proper and correct chain saw handling safety procedures.



All Husqvarna Canadian protective chaps and pants are classified in accordance with the BNQ/cUL 3000 FPM minimum Test Method for Measurement of Cut Resistance, or they meet the WCB 1-1997 standards which stipulate a 3900 FPM minimum threshold stopping speed.

Specialty sizing can be ordered for Protective Pants and Bibs, however there will be a \$25.00 fee assessed for special handling. Please allow 6 to 8 weeks for delivery. Special order pants and bibs can not be returned.

First Aid Kit

- Alberta #4 First aid kit for chain saw users
- Soft nylon case, and belt loop
- Kit Contents
- 2 triangular bandages
- 1 pressure bandage
- 1 whistle

SKU

531 30 54-57 Alta.4 First Aid Kit



Fire Extinguiser & Pouch

SKU

531 30 86-33 "Control" fire extinguisher 225 g.

531 30 86-34 Pouch for extinguisher



Safety apparel warranty

Protective Apparel Warranty

Protective apparel warranty is 90 days from the date of the customer's original purchase for defects in material and workmanship. Normal wear, tear, or abuse is not covered under warranty. Product must be returned with claim form to nearest Husqvarna Distribution center in Edmonton-Mississauga- Lachute or Moncton. All care and maintenance instructions must be followed as stated on the care label of each garment.



Protective Pants and Chaps

All Husqvarna Canadian protective chaps and pants are classified in accordance with the BNQ/cUL 3000 FPM minimum Test Method for Measurement of Cut Resistance, or they meet the WCB 1-1997 standards which stipulate a 3900 FPM minimum threshold stopping speed.



Boot Warranty

All boots have a 90 day warranty from the date of the customer's original purchase for defects in material and workmanship. Normal wear, tear, or abuse are not covered under warranty. The fit of the boot is not covered under warranty. Boots will not be accepted for return if they show any signs of outside wear. Please have your customer wear the boots inside to make sure they fit.

Boot Care Instructions

Boots need to be cleaned, conditioned, and water-proofed in order to get maximum wear life. Conditioning and waterproofing boots will keep the leather from cracking and splitting, extending the life of the boot. Follow the manufacturers care instructions to get the maximum wear life.



Saw box carrying case

Single pack with point of sales sleeve. Orange. Stackable and holds Husqvarna's exclusive filing equipment, filing vise, Scrench, spark plug, 2 -Cycle oil, Bar & Chain oil and Operator's Manual. Exclusive "Husky leash" system for a secure fit and to protect the saw. Comes standard with an 18" to 20" scabbard. Fits all Husqvarna saws from the 136 up to and including the 372XP and new 575XP.

| SKU | | | | |
|--------------|-------------------------|--|--|--|
| 100 00 01-07 | Carry Case "Power Case" | | | |
| 100 00 00-95 | 24" Carry Case Scabbard | | | |
| 100 00 00-96 | 20" Carry Case Scabbard | | | |
| 531 30 05-40 | Replacement latch | | | |
| 531 30 05-62 | Replacement handle | | | |



The "Blue" carrying case

- Dual Packed, priced single.
- Fits 55 series, 340, 345, 353, 357, 359, 365, 570 bars up to 20 inch.

| SKU | | |
|---|--------------------|--|
| 100 00 01-10 HCC Case Fits models 235 to 365 | | |
| 531 30 15-50 | Replacement handle | |
| 531 30 15-51 | Replacement latch | |



Scabbards

• Impact resistant. Husqvarna logo.

| SKU | | | | |
|--------------|---------------|--|--|--|
| 501 83 44-09 | 13" - 16" | | | |
| 501 83 44-11 | 18" - 22" | | | |
| 501 83 45-04 | 24" - 28" | | | |
| 531 30 52-29 | 12" Bar Guard | | | |
| 531 30 52-30 | 16" Bar Guard | | | |



Bar wrenches

| SKU | | |
|--------------|---|--|
| 501 69 17-01 | Standard combination bar nut wrench and screwdriver – 19mm x 13mm Short | |
| 504 90 12-04 | Bar wrench – 19mm x 13mm Long | |
| 506 38 26-01 | Cut off combi tool with Torx T27 end | |



Screwdriver

• Husqvarna small magnetized screwdriver.



531 30 79-70



Saw chain files

• Husqvarna quality round saw chain files made in Switzerland. Single cut.

| SKU | | |
|---------------|--------------|-------------------------------------|
| 531 30 87-13 | 4.5mm | 12 Pack |
| 531 30 87-14 | 5/32" | 12 Pack |
| 531 30 87-12 | 3/16" | 12 Pack |
| 531 30 87-11 | 5/16" | 6 Pack |
| 531 30 87-10 | 13/64" | 12 Pack |
| 531 30 87-15 | 7/32" | 12 Pack |
| 531 30 87-17* | 4.5 mm | 3 Files Per Pouch |
| 531 30 87-16* | 3/16" | 3 Files Per Pouch |
| 531 30 87-18* | 5/32" | 3 Files Per Pouch |
| 531 30 87-19* | 7/32" | 3 Files Per Pouch |
| 531 30 87-08 | Flat File 7" | Eye Hole (12pack) |
| 531 30 87-07 | Flat File 6" | Rat Tail Depth Gauge File (12 Pack) |
| 531 30 87-09 | Flat File 8" | Rat Tail (12Pack) |

^{*} Sold in box of 12 pouches



- Patented file locking system that can hold round files or flat files.
- Shows 25 and 30 angles to ensure correct filing.
- Order 20 and receive a display box.

SKU

505 69 78-10 File Handle

Husqvarna round file handle

SKU

531 30 87-20 File Handle

Nylon measure

| SKU | |
|--------------|----------------------------|
| 531 30 85-13 | 23" Tail mount measure [1] |
| 531 30 85-09 | 21" Side mount measure [2] |









SharpForce file guide

• Files both the cutter and depth gauge at one time, maintaining optimum cutting performance.

| SKU | | |
|--|---------------|--|
| 653 00 00-34 | 7/32" | |
| 653 00 00-35 | 3/16" | |
| 653 00 00-36 | 5/32" | |
| Special flat replacement files for the SharpForce. | | |
| 653 00 00-37 | 7/32" & 3/16" | |
| 653 00 00-38 | 5/32" | |



File kits - clamshelled

- Everything you need to file your chain with.
- Complete with file handle, combination file guide (roller file guide and depth gauge in one),
 2 round files, and 1 flat file for depth gauges.
- The combination gauge helps ensure the correct filing angle and simplifies the filing process.
- Clamshell packaging for display.

| SKU | |
|--------------|-------------|
| 505 69 81-90 | .325"Pixel |
| 505 69 81-30 | 3/8" |
| 505 69 81-92 | .404" |
| 505 69 81-93 | 3/8" Lo Pro |
| 505 69 81-94 | .325" |



Husqvarna filing and combination gauges

· New design that combines file gauge and raker gauge

| SKU | |
|--------------|---------------------------------------|
| 505 24 33-01 | Filing gauge 3/8" 5.5mm (cutter only) |
| 505 69 81-08 | Combo Gauge .325 (95VP /H30) |
| 505 69 81-09 | Combo Gauge .325 (21LP/BP/H21) |
| 505 69 81-10 | File Gauge .325" (21BP/H25) |
| 505 69 81-14 | 3/8"LoPro - Roller Gauge only |
| 505 69 81-15 | .404 (27) S64 File gauge |

Filing vise

- File your chain in the field.
- This portable filing vise digs in to any wood surface to secure your bar so you can sharpen your chain much easier.



653 00 00-41





Guide bar dresser

- Dress bars easily no matter where you are.
- Removes burred edges and levels the bar rails.
- Holds a 90 angle.

| SKU | |
|--------------|-------------------------------|
| 653 00 00-39 | 13025 4.5" Bar Edge Sharpener |
| 653 00 00-40 | 13026 4.5" Edge Sharp File |



Filing guide

• Professional filing device mounts fastens on saw bar with chain mounted

SKU

531 30 57-84 Prof. Filing Guide (23736A)



12 Volt grinders

 Durable, economical tool that makes hand-sharpening easy. Withstands periods of extended use. Runs on a standard 12-volt auto-type battery. Includes 3 sizes of grinding stones.
 Sharpens round ground 1/4", .325", 3/8", or .404" pitch chain.

SKU

640 30 00-43 28588 Electric Sure Sharp



Granberg 12 volt grinders

- G721 Granberg 12V Grind-N-Joint.
- This lightweight 12-volt 25,000 RPM grinder has built in angle marks and depth gauge attachments.

| • | | |
|---|-----|--|
| | KS. | |

531 30 66-88 12V grinder
531 30 47-98 Belt



Grinding stones

- Smooth shaft grinding stones for Oregon Sharpener.
- Packaged in quantities of 3.

| SKU | |
|--------------|-----------------------------|
| 640 30 00-55 | 31396 3/16" Rpl. Stone 3Pk. |
| 640 30 00-56 | 31397 5/32" Rpl. Stone 3Pk. |
| 640 30 00-57 | 31398 7/32" Rpl Stone 3Pk |
| 640 30 00-65 | 32628 4.5Mm Rpl. Stone 3Pk |

Saw Chain Sharpening Stones France of allower near shares in an analysis of allower near the state of the st

Granberg Grinding Stones

- Threaded shaft grinding stones for Granberg Sharpener.
- Packaged in quantities of 3.

| SKU | |
|--------------|----------------------|
| 531 30 47-73 | 5/32" Grinding Wheel |
| 531 30 47-74 | 3/16" Grinding Wheel |
| 531 30 47-75 | 7/32" Grinding Wheel |
| 531 30 47-76 | 1/4" Grinding Wheel |



Kool Grind

 G440 Coats and lubricates the grinding stone, prevents clogging and glazing, increase grindstone life.

SKU

531 30 47-77



110V converter

• G914-A Granberg 110V converter permits using 12V grinders with regular 110V current.

SKU

531 30 47-99

Break-N-Mend

- G605-C This handy tool makes on the job chain repairs possible.
- Break and spin rivets on all common sizes of saw chain with Break-N-Mend's adjustable anvils and spinner head.
- Easy to use.

| SKU | |
|--------------|----------------|
| 531 30 47-80 | Break-N-Mend |
| 531 30 90-72 | Handle spinner |





RSN kits

| SKU | | |
|--------------|-------|---|
| 640 10 03-46 | 30853 | RN - 3/8" - 11 teeth .050", .058", .063" |
| 640 10 03-47 | 30855 | RN404" - 10 teeth .050", .058", .063" |
| 640 10 03-82 | 34775 | RN325" - 12 teeth .050", .058", .063" |
| 640 10 04-11 | 39520 | PRO - 3/8" - 11 teeth .050", .058", .063" |
| 640 10 03-75 | 34535 | GN - 3/8" - 11 teeth .050", .058", .063" |
| 640 10 03-84 | 35321 | RG - 3/8" - 9 teeth .050", .058", .063" |
| 640 10 03-81 | 34726 | RN Nose Rivets (25 packs) |



Rims

| SKU | | |
|--------------|-------|--|
| 640 20 00-09 | 11891 | .325-8T – (small hole) 254, 262, and 257 |
| 640 20 00-10 | 11892 | .325-7T — (small hole) 36, 39, 40, 41, 42, 44, 45, 49, 50, 51, 55, 133, 136, 140, 141, 154, 234, 238, 240, 242, 246, 254, 262, 340, 346XP, 351 and 444 |
| 640 20 00-36 | 18720 | 3/8-7T – (small hole) 50, 51, 55, 154, 254, 257, and 262 |
| 501 59 79-02 | 22270 | .404-7T — (large hole) 77, 160, 163, 180, 181, 185, 260, 263, 280, 281, 285, 288, 298, 380, 394, 395, 480, 1100, 2100, 2101, 3120XP, and L-65 |
| 640 20 02-16 | 22273 | $3/8-8T - (large\ hole)\ 268, 272, 281, 288, 298, 362, 365, 371, 394, 2100, 2101, and 3120$ |
| 640 20 02-14 | 68210 | 3/8-7T — (large hole) 50, 51, 55, 61, 66, 77, 154, 160, 162, 163, 180, 181, 185, 254, 257, 260, 262, 263, 266, 268, 272, 280, 281, 285, 288, 298, 355, 357, 359, 365, 371, 380, 394, 395, 480, 570, 575, 1100, 2100, 2101, 3120XP and L-65 |
| 640 20 00-21 | 13624 | Powermate Rim, 9 teeth .325 |



Grease guns

| SKU | |
|--------------|-----------------------------|
| 501 91 14-01 | Grease Gun |
| 640 30 00-04 | 21939 Standard Grease Gun |
| 503 62 12-01 | Bearing Grease In Tube(45G) |
| 503 97 64-01 | Bevel Gear Grease |
| 502 51 27-01 | Bevel Gear Grease 225G |
| 503 80 17-01 | Drive Shaft Grease (200 G) |



502512701





640300004

501911401

Cant hooks

- Premium quality steel clasp and short steel toe ring
- \bullet Forged hook 7/16" x 1" of special high carbon steel
- Top quality maple handles
- 2-3/8" diameter handle at clasp

| SKU | |
|--------------|------------------------------|
| 531 30 51-95 | 2' Cant Hook (150042) |
| 531 30 51-96 | 3' Cant Hook |
| 531 30 51-97 | 3 1/2' Cant Hook (150045) |
| 531 30 51-98 | 4' Cant Hook (150046) |
| 531 30 51-99 | 4 1/2' Cant Hook (150047) |
| 531 30 52-00 | 2 1/2' Cant Hook Handle |
| 531 30 52-01 | 3' Cant Hook Handle |
| 531 30 52-02 | 3 1/2' Cant Hook Handle |
| 531 30 69-68 | 4' Cant Hook Handle (150054) |
| 531 30 52-03 | 4 1/2' Cant Hook Handle |



Peaveys

- 2-3/8" diameter steel socket
- Duck bill design hooks made of carbon steel 7/16" x 1" x 12" will grab even the largest timbers
- Well designed to prevent 'back slap' of hook from hitting hand
- Gripping lug ideal for gripping and rolling large logs
- \bullet Forged steel pick made from 15/16" high carbon steel bar

| SKU | |
|--------------|---------------------------|
| 531 30 52-08 | 4' Peavey Cpl. (150124) |
| 531 30 52-09 | 4 1/2' Peavey Cpl. |
| 531 30 66-53 | 5' Peavey Cpl. (150126) |
| 531 30 52-04 | 3 1/2' Peavey Handle |
| 531 30 52-05 | 4' Peavey Handle (150093) |
| 531 30 52-06 | 4 1/2' Peavey Handle |
| 531 30 52-07 | 5' Peavey Handle (150095) |

Turning straps

| SKU | |
|--------------|---------------|
| 505 69 80-35 | Turning Strap |
| 505 69 80-20 | Strap |



Lifting tongs

- Made of high quality steel, with resilient handle.
- Timber Hook 30cm grip

SKU

505 69 30-30 Lifting Tongs

505 69 31-01 Timber Tongs



Lifting hook

• With scale for measuring tip diameter.

SKU

505 69 13-30 Lifting Hook



Pulp hook

• Replaceable tip

| _ | |
|---|----|
| 5 | ΚU |
| | |

531 30 79-78 Pulp Hook Replaceable Tip

531 30 79-90 Hook, Pulp – Std. Tip

531 30 80-69 Replacement Tip (C-Pp-DI-R)

531 30 81-06 Replacement Tip, Winter

531 30 81-05 Handle, Wood



Breaking / impact bars

SKU

 505 21 68-01
 1
 Impact Bar

 504 98 16-92
 2
 Telescopic foot lever

 505 69 43-01
 3
 Breaking Bar c/w turning cant hook

 505 21 69-01
 4
 Breaking Bar 140cm long c/w turning cant hook

531 30 85-10 Holster, Breaking Bar (10-150)



Tool belt and carriers

Tools that have been carefully developed to cope with a whole range of tasks, from thinning
to final felling. Tools and accessories that will meet the demands you place on professional
equipment.

| SKU | |
|--------------|--------------------------|
| 505 69 32-16 | Tool Belt |
| 505 69 90-15 | Tool Belt Cpl. With Tool |
| 505 69 32-17 | Screw Set For Tool Belt |
| 505 69 00-01 | Leather Belt |
| 505 69 32-92 | Holster Felling Lever |
| 505 69 32-04 | Holster For Caliper |
| 505 69 05-10 | Rear Tool Carrier |
| 505 69 16-06 | Holster |
| 605 00 01-52 | First aid kit |



Calipers

• With table of cylinder volumes, centimeter gradations on 2 sides.

| SKU | |
|--------------|---------------|
| 505 69 47-30 | 36 cm Caliper |
| 505 69 47-46 | 46 cm Caliper |



Tally counter

- Positive 'click' counter.
- Used for forestry, traffic, attendance, etc.

SKU

531305194

Flagging tapes


· Sold by dozen

| SKU | |
|--------------|--------------------------------|
| 531 30 84-34 | Flagging Tape "Blue"(12 Roll) |
| 531 30 84-35 | Flagging Tape "Orange"(12Roll) |
| 531 30 84-36 | Flagging Tape"Yellow" (12Roll) |
| 531 30 84-37 | Quiktear - Pink (12 Roll) |



Lumber crayons

· Sold separately.







Loggers Tapes

- Simple lightweight design.
- \bullet Can be adjusted without tools.
- Marked on both sides.

| SKU | | |
|-------------------|-------------------------------|--|
| 531 30 85-23 | 15 M / 50 ft tape | |
| 531 30 85-21 | 20 M / 66 ft tape | |
| 531 30 79-76 | 25 M / 75 ft tape | |
| Refills | | |
| 531 30 85-22 | 66 Ft. / 20 M. Refill | |
| 531 30 85-48 | 50 Ft. Refill | |
| 531 30 85-49 | 50 Ft./15 M | |
| 531 30 85-50 | 15 m. Refill | |
| 531 30 85-61 | 75 Ft. Refill | |
| 531 30 85-62 | 75 Ft./25M Refill | |
| 531 30 85-63 | 25 M. Refill | |
| Replacement Parts | | |
| 531 30 85-18 | Idle gear & pinion | |
| 531 30 85-19 | Hanger & swivel clip | |
| 531 30 85-25 | Spool c/w pinion | |
| 531 30 85-26 | Main shaft & gear | |
| 531 30 85-28 | Spacer post with 2 screws | |
| 531 30 85-29 | Spring hub | |
| 531 30 85-30 | Spring Ass. c/w housing & hub | |
| 531 30 85-44 | Nylon roller | |
| 531 30 85-45 | Hanger & swivel clip (forged) | |
| 531 30 85-46 | Hook | |
| 531 30 85-51 | Tape refill screw | |
| 531 30 85-52 | Post screw | |
| 531 30 85-64 | Hinge | |
| 531 30 85-65 | 0.5 m. plastic end | |
| 531 30 85-68 | Eyelets (Pack of 100) | |



Wedge pouch

- CS5010 Made of cow hide finished split leather.
- Compartments for saw files, chain saw wrenches, and wedge.
- Lock stitched reinforcing at all stress points with rivets.
- Double backed for durability and longer life. 18×30 cm

SKU

531 30 52-17

Wedge pouch

- CS5020 Made of cow hide finished split leather.
- Compartments for saw files, chain saw wrenches, wedge, and fire extinguisher.
- Lock stitched reinforcing at all stress points with rivets.
- Double backed for durability and longer life. 18cm x 30cm

SKU

531 30 52-19

Wedge pouch

- CS5046 Made of from Loggerton waterproof leather.
- Rollover type belt loop to fit up to 3" belt.
- This product fits 2 standard wedges and files.

SKU

| 531 30 76-36 | Large |
|--------------|-------|
| 531 30 76-35 | Small |

Fallers tool pouch

- CS5050 Made of durable split leather.
- One large main pocket with backwall tool slots.
- Foldover flap to close pouch and retain contents.
- 4 front pockets with rollover type back to fit 3" belt.
- Rivet reinforced at all stress points.

SKU

531 30 52-21

Wedge & T-wrench sheath

SKU

531 30 85-11











Industrial belt

• EL900 - Made of 8 - 10 ounce latigo leather, $1\frac{1}{2}$ " in width with heavy roller buckle.

SKU

531 30 52-22

Hammer holder

- HM213 Made of 6 8 ounce latigo leather.
- Heavy steel hammer holder, fits most belts.
- 10 cm x 21 cm

SKU

531 30 52-25





Wedges

| SKU | |
|--------------|-------------------------------|
| 505 69 47-00 | Felling Wedge |
| 505 69 47-01 | 7" splitting wedge |
| 505 69 47-02 | 5" Felling Wedge, Plastic |
| 505 69 47-03 | 8" Felling Wedge |
| 505 69 47-04 | 10" Felling Wedge |
| 608 20 10-00 | 8" Wood Grain Wedge - Orange |
| 608 20 10-01 | 10" Wood Grain Wedge - Orange |
| 608 20 10-02 | 12" Wood Grained Wedge-Orange |
| 608 20 10-04 | 8" Rifled Wedge - Yellow |
| 608 20 10-05 | 10" Rifled Wedge - Yellow |
| 531 30 84-65 | 5.5" Plastic Wedge (KH51/2) |
| 531 30 84-66 | 7.5" Wedge, Falling (KH71/2) |
| 531 30 84-62 | Wedge, Falling (KH10) |
| 531 30 84-63 | Wedge, Falling (KH10TT) |
| 531 30 84-64 | Wedge, Falling (KH12) |
| 531 30 81-03 | 5" Wedge (W-5) |
| 531 30 80-92 | 8" Wedge (W-8) |
| 640 30 00-11 | 23562 5-1/2" Bulk Plstk Wedge |
| 640 30 00-10 | 23561 8" Bulk Plastic Wedge |
| 640 30 00-09 | 23560 10" Bulk Plastic Wedge |
| 640 30 00-29 | 26782 12" Bulk Plastic Wedge |



Axes

Sledge axe

 82 cm axe made of hand-forged Swedish quality steel with the Husqvarna logo burned into the handle and on the leather edge guard. Handle fastened with a new steel wedge. Sharper finish of the axe head.



| 505 69 | 45-05 | 83 cm | / 33" |
|--------|-------|-------|-------|
| | | | |

505 69 45-03 Replacement Handle

Splitting axe

 74 cm axe made of high quality Swedish steel blade and hickory shaft. Comes with leather edge guard.

| SKU | |
|--------------|--------------------------|
| 506 48 74-01 | 74 cm Axe |
| 505 69 45-02 | 74 cm Replacement Handle |
| 506 48 75-01 | Small Splitting Axe |
| 505 69 45-00 | All Purpose axe 26"/65cm |
| 505 69 45-01 | Axe Handle 26"/65cm |



Carpenter's axe

• High quality Swedish steel blade and hickory shaft. Leather edge guard.

SKU

505 69 45-09 Carpenter's Axe



Hatchet

• 35 cm. High quality Swedish steel blade and hickory shaft. Leather edge guard.

SKU

502 64 02-01 Hatchet




Clearing axe

· With hickory shaft and replaceable blade on both faces.

| SKU | |
|----------|------|
| 505 21 7 | 1-01 |

Clearing Axe





Husqvarna garden shears

- Domestic pruning shears by Fiskars for a crisp, clean cut and durable performance.
- Convenient 12 pack counter top display pack.

SKU

531 00 50-70

200mm multi-purpose shear

- By-pass pruner for pruning flowers or small branches. Blade in high quality steel with a Dupont Teflon-S coating for a smoother and easier cutting.
- · Ergonomic handle for a safe and comfortable usage.



544 20 30-01

200mm anvil pruning shear

Anvil pruning shear for pruning away dead or diseased bransches and shaping plants. Blade
in high quality steel with a Dupont Teflon-S coating for a smoother and easier cutting.
Ergonomic handle for a safe and comfortable usage.



544 20 30-02

220mm universal pruning shear

 By-pass pruner for pruning small or mid-sized branches. Blade in high quality steel with a Dupont Teflon-S coating for a smoother and easier cutting. Ergonomic, plastic handle for a safe and comfortable usage.



544 20 30-03

200mm universal pruning shear

By-pass pruner for pruning small and mid-sized branches. Blade in high quality steel with a
Dupont Teflon-S coating for a smoother and easier cutting. Ergonomic handle in fiber glass.
The special shape of this pruning shear makes it easier to make closer cuts. Fits left handed
people.



544 20 30-04

210mm professional shear

 Professional by-pass pruner for pruning and shaping branches. Blade in high quality steel with a Dupont Teflon-S coating for a smoother and easier cutting. Ergonomic, aluminium handle for a safe and comfortable usage..



544 20 30-05

230mm professional shear

Professional by-pass pruner for pruning and shaping branches. Blade in high quality steel with
a Dupont Teflon-S coating for a smoother and easier cutting. Ergonomic, aluminium handle
for a safe and comfortable usage. The blade can be set in two different positions, a large or
small blade opening.



544 20 30-06















Telescopic shaft

- 2.5-5 metres.
- · Simple length adjustment.

SKU

502 42 73-01



Limbing saw with bark blade

• Curved blade with hook at tip and blade for cutting bark to prevent splitting.

| SKU | |
|--------------|-----------------|
| 505 69 45-66 | Saw |
| 505 69 45-77 | Blade for above |



Limbing saw

• A slightly simpler version without bark blade.

| SKU | |
|--------------|--------------------------|
| 505 69 45-76 | Saw for telescopic shaft |
| 505 69 45-87 | Blade for above |



Limbing/pruning saw

| SKU | |
|--------------|---------------------|
| 505 69 45-64 | Limbing/Pruning Saw |
| 505 69 45-65 | Spare Blade |



Foldable pruning saws

- Lightweight pruning saw in high quality steel with an ergonomic handle for high comfort.
- The blade locks in place and folds away safely when not used.
- Cuts on the pull stroke.
- For cutting timber, plastic pipe, wall board, trimming branches and general pruning. Hard chrome plated to improve solidity and rust resistance.
- Resharpening is not necessary in normal use.
- 3D Husqvarna logo in handle

| SKU | |
|--------------|------------------------|
| 544 08 02-01 | 180 mm Blister packed. |
| 544 08 02-02 | 220 mm Blister packed. |






Power cutter accessories

Cutting trolley

- New, compact cutting cart for the Husqvarna K 750. Quick mounting, central
 height adjustment and lateral adjustment make the cart easy to use and
 simplifies cutting in straight or curved lines. The handles easily adjusted and rear
 wheels adjust laterally, so you can find the ideal working posture. Easy to mount.
 Depth control accessible from working position.
- The quick mounts make it easy to install the cutters on the trolley.
- Efficient control of cutting depth facilitates adjustment and return to previous setting.
- Simple lateral adjustment enables cutting in straight or curved lines.
- Wheels are laterally adjustable, and allow cutting close to walls and kerbs.





Air filter oil

• Use this oil on all Husqvarna power cutter for warranty purpose

SKU

531 00 92-48 Air Filter Oil 1L.



Power cutter accessories

Cutting trolley KV03

- Husqvarna's cutting trolley makes light work of heavy tasks. The cutting trolley can be adapted to suit a variety of jobs thanks to a wide range of adjustments. Ideal for both wet and dry cutting. Suitable for use with 371K, 375K,3120K, K960 and K1250
- · Low vibration levels
- Simple lever-type throttle control
- Water tank design gives a clear view during cutting, for maximum control
- · Large filler hole in water tank makes refilling easy
- Tank Kit (optional accessory)
- Assembly kit (optional accessory)



SKU

506 29 54-12 Two wheels cart with depth gauge


504 14 30-01 Water Tank (Water Adapter Kit)

504 11 17-03 Assembly kit for K960

504 11 17-04 Assembly kit for K1250



Power cutter can easily be fitted or removed in a matter of minutes.



Cutting depth fully adjustable by means of a single lever.

Wheels can be adjusted sideways to permit maximum accessibility.

Large water tank (17 liters) with easily accessible knob on tank and "Gardena" quick coupling











Power cutter accessories

Abrasive wheels

- Our abrasives are made of the highest quality abrasive grain, fiberglass, resins, etc., and produced for the best mix of cutting speed and wear resistance.
- They are cold pressed and double reinforced.
- Available in 12", 14", and 16" diameters for cutting metal, concrete, asphalt, stone and more.
- Packaged 10 per box, PLEASE order in multiples of 10 per part number.



| SKU | Diameter | Thickness | Arbor | Use |
|--------------|-----------------------------------|-----------|-------|--------------------------------------|
| 531 30 12-60 | 12" | 1/8" | 1" | Steel |
| 531 30 12-62 | 12" | 1/8" | 7/8" | Metal |
| 531 03 07-00 | 31 03 07-00 12" 1/8" 20 mm | | 20 mm | General Concrete, Asphalt, and Brick |
| 531 30 12-61 | 12" | 1/8" | 20 mm | Steel |
| 531 30 12-56 | 14" | 5/32" | 1" | General Concrete, Asphalt, and Brick |
| 531 30 12-63 | 14" | 5/32" | 1" | Steel |
| 531 30 12-64 | 14" | 1/8" | 20 mm | Metal |
| 531 30 12-57 | 14" | 5/32" | 20 mm | General Concrete, Asphalt, and Brick |
| 531 30 12-59 | 16" | 16" 5/32" | | General Concrete, Asphalt, and Brick |
| 531 30 12-66 | 16" | 5/32" | 1" | Steel |

Diamond cutting blades

• EH Extrm - Economy High-Speed

| SKU | |
|--------------|---------------------------------|
| 542 77 55-94 | 12 (305) x .125 x 1 DP - 20mm B |
| 542 77 87-35 | 14 (356) x .125 x 1 DP - 20mm B |



Blade bushings

| SKU | |
|--------------|---------------------------|
| 506 37 96-20 | 20mm Arbor bushing |
| 506 37 96-22 | 22mm (7/8") Arbor bushing |
| 506 37 96-25 | 25mm (1") Arbor bushing |



Quick connect adapter

 Female Quick coupling adapter for the water kit that will thread onto an ordinary garden hose.

SKU

503 26 60-01 Female Hose Connector



Tri-Cut heads

• Tri-Cut Head - Three nylon blades that pivot. Cuts light grass to thick weeds.

| SKU | |
|--------------|---|
| 531 00 38-24 | M12 LH - 120L, 120R, 125L, 125LD, 125R, 125RJ, 132L, 132R, 132RJ, 235R, 240R, 245Rx, 250Rx, 252Rx, and 265Rx |
| 531 00 38-11 | M10 LH - 122L, 123L, 125L, 125LD, 125R, 125RJ, 225L, 225LD, 225R, 225RJ, 232L, 232R, 235RJx, 240L, 322L, 323L, 324L, 325L, 325Lx, 326L, 326Lx, 326LDx, 322R, 323R, 325Rx, and 326Rx |
| 531 01 77-15 | Premium single replacement blades – 255mm |
| 531 03 03-29 | 12 pack of value blades 300mm |



T35 Professional tap advance - 300 series trimmers

Exclusively designed by Husqvarna, the T35 Professional Tap Advance trimmer head features an easy to reload spool that comes off with the cap, eliminating the need to turn the trimmer upside down to reload the line. The spool has a split design which reduces tangling and line welding, and has arrows to show the correct directional winding of the line to eliminate guesswork. The spool has two key slots to lock the trimmer line in and keep it from unwrapping while putting the cap back on the trimmer head. The T35 holds .065", .080", .095", or .105" trimmer line and has a capacity of 28 feet of .095" gauge line, one of the best in the industry and comes pre-wound with .095" TitaniumForceTM trimmer line.



SKU

| 537 38 81-01 | 10mm – Universal T35 Tap Trimmer Advance Head - Contains arbor kit to fit Redmax, Shindaiwa, Stihl and Poulan models also. Clamshell Package. |
|--------------|---|
| 531 30 01-94 | 10mm – T35 Tap Advance Trimmer Head (in bag) |
| 531 30 03-64 | T35 replacement spool pre-wound with .095" TitaniumForce™ trimmer line. |
| 531 30 01-83 | T35 Accessory Kit Non-Universal |

T25 Tap-N-Go head - 100 series trimmers

- \bullet Semiautomatic trimmer head with Tap'n go function.
- Available in M10 for straight shaft trimmers and 3/8" for curved shaft trimmers.

| SKU | |
|--------------|--|
| 531 00 92-79 | M10 LH – For small straight shaft trimmers |
| 531 00 92-78 | 3/8" RH – For curved shaft trimmers |



Rhino heads

| SKU | |
|--------------|--|
| 531 30 79-74 | Universal - For curved shaft trimmers 3/8" RH |
| 531 30 79-75 | Universal - Push Button - For straight shaft trimmers M10 LH |



T35X Professional Tap-N-Go head

 Semiautomatic trimmer head with Tap'n go function and ball bearing. The thread is fed automatically when the head is pushed into the ground. Available in M10 and M12. For 20 -55 cc machines.

SKU

| 544 90 90-01 | M10 LH |
|--------------|--------|
| 544 90 90-02 | M12 LH |



T45X Professional Tap-N-Go head

 Semiautomatic trimmer head with Tap'n go function and ball bearing. The thread is fed automatically when the head is pushed into the ground. For 20 –55 cc machines.

SKU

531 00 92-62 M12 LH



T55X Professional Tap-N-Go head

 Semiautomatic trimmer head with Tap'n go function and ball bearing. The thread is fed automatically when the head is pushed into the ground. For 20 –55 cc machines.

SKU

544 90 91-01 M12 LH



Tap-N-Go heads

- Trimmy Hit Dual line head for straight shaft trimmers. .080", .095", and .105".
- Trimmy Hit Pro Dual line head for straight shaft trimmers. .080", .095", and .105".
 Commercial use.

| SKU | |
|--------------|---|
| 695 00 03-92 | M10 LH Trimmy Hit 122L, 125L, 125LD, 125R, 125RJ, 225L, 225LD, 225R, 225RJ, 232L, 232R, 235RJx, 240L, 322L, 323L, 325Lx, 326Lx, 322R, 323R, 325Rx, and 326Rx |
| 695 00 03-49 | M12 LH Trimmy Hit Pro 120L, 120R, 125L, 125LD, 125R, 125RJ, 132L, 132R, 132RJ, 235R, 240R, 245Rx, 250RX, 252Rx, and 265Rx |
| 695 00 03-89 | M10 LH Trimmy Hit Pro 122L, 125L, 125LD, 125R, 125RJ, 225L, 225LD, 225R, 225RJ, 232L, 232R, 235RJx, 240L, 322L, 323L, 325Lx, 326Lx, 322R, 323R, 325Rx, and 326Rx |





Fixed line trimmer head

• Trimmy Fix - Two fixed-length lines. .080", .095", .105", and .130".

SKU

531 00 38-69

M10 LH - 122L, 123L, 225L, 225LD, 225R, 225RJ, 232L, 232R, 235RJx, 240L, 322L, 323L, 324L, 325Lx, 326Lx, 326Lx, 326LDx, 322R, 323R, 325Rx, and 326Rx



S35 Manual line head

- Dual line head for straight shaft trimmers. .080", .095", and .105". Commercial use.
- For 20-35 cc engine trimmers. Can be loaded 2 ways (both without any tools needed): 1) By taking it apart (very similar to the T35 head) and reloading the spool.
- 2) From the outside you can reload it by having two fixed length lines and winding these into the spool.

| SKU | |
|--------------|--|
| 531 00 92-24 | M10 LH — For 125 and 300 Series Trimmers |
| 531 00 92-68 | M12 LH - 120L, 120R, 125L, 125LD, 125R, 125RJ, 132L, 132R, 132RJ, 235R, 240R, 245Rx, 250Rx, 252Rx, and 265Rx |



Trimmy SII Manual line head

• Dual line head for straight shaft trimmers. .080", .095", .105", and .130". Commercial use.

SKU

502 26 08-15

M12LH - 235R, 240R, 245Rx, 250Rx, 252Rx, and 265Rx



Super Auto II automatic line heads

• Dual line head for straight shaft trimmers. .080", .095", and .105". Commercial use.

| SKU | |
|--------------|--|
| 531 00 60-93 | M10 LH - 122L, 225L, 225LD, 225R, 225RJ, 232L, 232R, 235RJx, and 240L. |
| 531 00 92-62 | 1" LH $-$ 322L, 323L, 325Lx, 326Lx, 322R, 323R, 325Rx, and 326Rx. Flange (503941401) and nut (503856301) needed to mount on trimmer. Put the bottom of the head on then the flange and nut and then snap the head on |
| | |



Blades - brush cutters

| SKU | Type Size Te | | Teeth | Arbor | Fits | |
|--------------|--------------|----|-------|-------|------|---|
| | | in | mm | | | |
| 537 14 95-01 | Grass | 10 | 255 | 4 | 20mm | 120R, 125R, 125RJ, 132R, 132RJ, 225L*, 225LD*, 225R, 225RJ, 232L*, 232R (Before 8/02), 235R, and 240R |
| 537 14 96-01 | Grass | 10 | 255 | 4 | 1" | 322L*, 322R, 325LX*, 325R, 325RJ, 425R, and 232R (After 8/02) |
| 531 30 02-34 | Grass | 10 | 255 | 4 | 1" | Clamshelled 322L*, 322R, 325LX*, 325R, 325RJ, 425R, and 232R (After 8/02) |
| 503 81 44-01 | Grass | 10 | 255 | 8 | 20mm | 120R, 125R, 125RJ, 132R, 132RJ, 225L*, 225LD*, 225R, 225RJ, 232L*, 232R (Before 8/02), 235R, and 240R |
| 537 02 19-01 | Grass | 10 | 255 | 8 | 1" | 322L*, 322R, 325LX*, 325R, 325RJ, 425R, and 232R (After 8/02) |
| 537 14 89-01 | Multi | 10 | 255 | 3 | 20mm | 225L*, 225LD*, 225R, 225RJ, 232L*, 232R (Before 8/02), 235R, and 240R |
| 537 14 90-01 | Multi | 10 | 255 | 3 | 1" | 322L*, 322R, 325LX*, 325R, 232R (After 8/02), 343R, and 345Rx |
| 537 14 93-01 | Multi | 12 | 300 | 3 | 20mm | 232R (Before 8/02), 235R, 240R, 245R, 245Rx, 250Rx, 252Rx, and 265Rx |
| 537 14 94-01 | Multi | 12 | 300 | 3 | 1" | 322L*, 322R, 325LX*, 325R, 232R (After 8/02), 343R, and 345Rx |
| 537 14 91-01 | Multi | 11 | 275 | 4 | 20mm | 232R, 235R, 240R, 245R, 245Rx, 250Rx, 252Rx, and 265Rx |
| 537 14 92-01 | Multi | 11 | 275 | 4 | 1" | 322L*, 322R, 325LX*, 325R, 232R (After 8/02), 343R, and 345Rx |
| 508 90 15-01 | Maxi S | 8 | 200 | 26 | 20mm | 120R, 125R, 125RJ, 132R, 132RJ, 225R, 225RJ, 232R (Before 8/02), and 235R |
| 508 90 45-01 | Maxi S | 8 | 200 | 26 | 1" | 322R, 323R, 324Rx, 325R, 326Rx, 232R (After 8/02), 345R and 345Rx |
| 508 90 14-01 | Maxi XS | 8 | 200 | 22 | 20mm | 240R, 245R, 245Rx, 250R, 252Rx, and 265Rx |
| 508 90 24-01 | Maxi XS | 9 | 225 | 22 | 20mm | 250R, 252Rx, and 265Rx |
| 537 27 75-01 | Scarlet** | 8 | 200 | 22 | 1" | 322R, 323R, 324Rx, 325R, 326Rx, 232R (After 8/02), 345R and 345Rx |
| 537 27 83-01 | Scarlet** | 9 | 225 | 24 | 1" | 322R, 323R, 324Rx, 325R, 326Rx, 232R (After 8/02), 345R, 345Rx, 355Fx |
| 537 24 38-04 | Maxi | 9 | 225 | 24 | 20mm | 250R, 252Rx, and 265Rx |
| 544 28 01-03 | | 9 | 225 | 24 | 1" | 345 Fx/ Fxt, 355 Fx/ Fxt |


^{*}Acceptable only when unit is equipped with J-Handle or Barrier Bar Kit and proper guard.

^{**}Specifically designed for faster, smoother cutting.














Blade Support Cups

- For use on Husqvarna brush cutters with a blade
- Prevents blade from digging into ground.
- Two versions. One rotates with the blade and the other runs on a bearing for extended life.

| SKU | |
|--------------|---|
| 503 90 18-02 | M12 Fixed - 235R, 240R, and 245R |
| 503 89 01-01 | M10 Fixed - for models under 32cc's |
| 503 89 01-02 | M10 Fixed - for models over 32cc's |
| 502 15 70-02 | M12 Bearing - 235R, 240R, 245R, 245Rx, 250Rx, 343R, 345Rx and 265Rx (20mm/1") |







Blade conversion kit

- Converts loop handle trimmers to J-Handles for grass and brush blade use.
- Contains barrier bar, shoulder strap and suspension eyelet, blade locknut, support flange,
 255-4 Grass Blade, support cup, combination guard, and socket wrench. Not to be used with
 Saw Blades!
- Fits 323, 324, 325, 326

SKU

537 04 85-02 Barrier Bar Kit



Clearing Saw Blade File

- File holder for clearing saw blades.
- Ensures correct filing technique and angles.
- For use with all Maxi, Opti and Scarlet blades



505 69 81-20 Clearing Saw Blade File



File Holder For Clearing Saw

505 69 32-20 File Holder Leather Clearing531 30 80-93 Holster File Gauge (DM-820)





| 5009 | Saw blade guards Kits | 503 97 71-01 | A3 503 95 43-01 29 10 20 20 3 94-06 (CD) 62 952 71 56-15 | 5 501 32 04-01 (G3 | D6 502 43 55-01 CD G4 | G4 544 24 96-02 Incl ■ ■ | | | Attachments | 502 12 26-01 2 30 537 18 33-11 25-mm. | (4) E2 502 14 55-01 3 30 | 84 545 03 09-01 CT | (22) 537 19 67-01 | 8 | Support cups | F1 503 89 01-01 🔘 35 | F2 503 90 18-02 © 36 | F3 502 15 70-02 (8) 37 537 35 35-01 | CG 544 16 03-01 (20) 164 1653 89 01-02 (30) 183 53 42 54-01 (30) 183 183 183 183 183 183 183 183 183 183 | 39 952 71 19-16 | 40 952 71 19-07 | d 952 71 19-08 | 42 952 71 19-11 | ents | 20 38-69 Section 1 5-24 490 90-02 Section 1 5-24 496-01 Section 1 5-24 490 90-02 Section 1 5-24 496-01 Section | (12) F 35 M12 Oregon (22) Multi 255-3 1" S 40 40 40 48-01 (23) 53 7 1 4 9 0 0 0 1 | (1) 145X M12 Teneman (2) 531 00 92-62 (3) 531 00 92-62 (3) 531 00 92-62 (4 | 531 00 92-61 | 20 000 000 000 000 000 000 000 000 000 | 17 SII M12 (27) 537 27 75-01 (27) 537 27 75-01 (27) 537 27 75-01 | 18 TriCut M10 531 00 38-11 TriCut M10 TriCut M12 | (9.3330072.8 |
|------------------------------|-------------------------------|--------------|--|------------------------------|-----------------------|--|--------------------|--------------------------------|------------------------|--|--------------------------|--------------------------|---------------------|-----------------------------------|--------------|---|--|---|--|-------------------------|--|----------------|-----------------|------|--|---|--|--------------|---|--|--|--------------|
| immers and brushcutters 2009 | Coarse grass Bushes and trees | | 62 | 000 + 150 | 63 + (20) | 10 m 31 m 31 m 32 m 32 m 32 m 32 m 32 m 32 | 8 8 8 8 | 64 + 20 | B4 + F1 + 20 21 | B1 + F1 + 20 21 30 | 83 + 14 + (21)(22)(23) | 84 + F1 + (20 (21) | 81 + 61 + (20) (21) | | 4 | | Cq 85 + F2 F3 + $(2)(3)(3)$ D2 + $(2)(3)(3)$ | G 85 + F2 F3 L3 L3 L3 L4 L7 | G + B H + 22 33 34 25 | Q + R B + (2) (3) (3) | G + P H H + (2) (3) (4) (3) (4) (5) (10) (10) (10) (10) (10) (10) (10) (10 | | | | | | | | | | | |
| Accessory guide for trim | Model Grass | 128C / 124C | 128L | 323L/327LS/324L _x | 223L | 324LD / 327LD x | 128LD _x | 335LS AS B8 + 9 10 11 12 13 19 | 128RJ BM + 3 \$ 6 2 18 | 233R / 327RJ _x AA B1 + 1 3 5 6 7 8 18 | | B4 + (3) (5) (6) (6) (6) | 7 8 (18) | A2 81 + (1/3 / 5 / 6 / 7 / 8 / 18 | | \$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ | 343R / 343FR | 345R _x As 85 + (3) (4) (15) (16) (77) (19) CT + (19) | 355R _x | 343F / 345F \ 345F \ xr | 355F _x / 355F _{xr} | | | | | | | | | | | |

Shoulder Harness

• Fits all Trimmers

SKU

537 21 62-02 Harness

Husqvarna Standard Harness

- Designed for lighter brushcutters.
- Adjustable, padded shoulder straps.
- Simple and effective quick release on chest.
- Firm hip support.

SKU

537 21 63-02 Harness

Duo-Balance RX Harness

- Designed for larger clearing saws.
- Shoulder strap is adjustable and has extra padding.
- · Quick release on breast plate.

SKU

537 27 57-03 Harness

R Harness

 \bullet R Harness is the same design as the RX, but the breast plate is secured with a pin..

SKU

537 27 57-01

Duo-Bal Harness







Trio-Balance Harness

Optimal weight distribution. The weight is distributed and balanced efficiently between
the shoulders, hips, chest and back. The wide padded shoulder straps also spread the load
over large areas which reduces the load on the shoulders. A shock-absorbing hip pad
with a traveling connection means that the machine can be maneuvered with fewer body
movements. The hip pad also has a safety release within easy reach, so that the cutter can be
detached with a simple action.

SKU

504 04 52-01 Harness Trio Balance



• The Balance XT Harness has a body shaped back plate that is adjustable in three positions. Pivoting shoulder straps follows the movements of the shoulders and gives an improved weight distribution. Wide, padded, and body-hugging straps make the harness comfortable to wear and reduce stress on the upper body and shoulders. The straps have reflex material to make work safer in dim conditions. Easy adjustment in the front can be used in two different positions which reduce the pressure on the chest and the lungs, also making the harness much more comfortable for women to wear. A wide and padded hip belt helps to reduce strain on the hips. On the hip belt, easy to reach, a pocket is placed to hold a mobile or other tool. Shock absorbing hip pad with a traveling connection for grass- or forest position. An easy and effective quick release on the hip pad makes the work safer. The floating pad system reduces strain on the back and requires less energy when working.

SKU

505 20 42-01 Harness Balance XT

Balance Flex harness

• To be used with all kinds of pole products. The product is attached to the harness by open hooks, making it easy to use and quick to start/stop. The Balance Flex Harness evens the load distribution over both shoulders due to the padded shoulder straps, which is a support when using the product in different angles and heights. A lifting force is used to help hold and lift the product. The harness gives good support when using pole products for different kinds of work, high or low, far away or close, which results in better ergonomics

SKU

505 20 43-01 Harness Balance Flex







TitaniumForce™ "Whisper" trimmer line

- Extreme Commercial Grade co-polymer trimmer line.
- The patented design based on cutting edge technology gives longer life, and better performance.
- Fast acceleration, and level flight characteristics, allows for reduced fuel consumption and makes it run quieter.
- Fits all standard trimmer heads.
- Order Master Pack Qty to get Case Qty.

| SKU | Gauge | Length | Master Pack |
|--------------|-------|--------|-------------|
| 50' donuts | | | |
| 639 00 51-11 | .080" | 50' | 10 |
| 639 00 51-01 | .095" | 50' | 10 |
| 639 00 51-16 | .105" | 50' | 10 |
| 1/2 lb. donu | ts | | |
| 639 00 51-12 | .080" | 200' | 6 |
| 639 00 51-02 | .095" | 140' | 6 |
| 639 00 51-03 | .105" | 115' | 6 |
| 1 lb. donuts | | | |
| 639 00 51-13 | .080" | 400' | 8 |
| 639 00 51-04 | .095" | 280' | 8 |
| 639 00 51-05 | .105" | 230' | 8 |
| 3 lb. spools | | | |
| 639 00 51-14 | .080" | 1200' | 4 |
| 639 00 51-06 | .095" | 840' | 4 |
| 639 00 51-07 | .105" | 690' | 4 |
| 639 00 51-08 | .130" | 450' | 4 |
| 5 lb. spools | | | |
| 639 00 50-15 | .080" | | 4 |
| 639 00 51-09 | .095" | 1400' | 4 |
| 639 00 51-10 | .105" | 1150' | 4 |





Hovering Trimmer Line

| SKU | Fits Model |
|--------------|---|
| 513 90 52-87 | Individual pieces of Green Line with metal tabs. 20 pieces per box. HVT 40 |
| 513 90 52-02 | Individual pieces of Yellow Line with metal tabs. HVT 52 |

Edger blades

 \bullet New Marbain $^{\text{TM}}$ technology for increased strength and durability.

| SKU | |
|--------------|---|
| 531 03 04-35 | Fits the 123LD, 225E, 322E, 325Ex, 326Ex, and 326LDx. Fits other OEM's. |
| 601 00 22-46 | Fits the LE389 |







Trim Line™ trimmer line

- Commercial grade co-polymer round line in a green color.
- Great cutting along with reduced breakage and welding.
- Fits all standard trimmer heads.
- Order Master Pack Qty to get Case Qty.

| SKU | Gauge | Length | Master Pack |
|--------------|-------|--------|-------------|
| 50' Donuts | | | |
| 639 00 41-01 | .080" | 50' | 10 |
| 639 00 41-06 | .095" | 50' | 10 |
| 1/2 lb. Donu | ts | | |
| 639 00 41-02 | .080" | 200' | 6 |
| 639 00 41-07 | .095" | 140' | 6 |
| 639 00 41-11 | .105" | 110' | 6 |
| 639 00 41-15 | .130" | 75' | 6 |
| 1 lb. Donuts | 3 | | |
| 639 00 41-03 | .080" | 400' | 8 |
| 639 00 41-08 | .095" | 280' | 8 |
| 639 00 41-12 | .105" | 225' | 8 |
| 639 00 41-16 | .130" | 150' | 8 |
| 3 lb. Spool | | | |
| 639 00 40-04 | .080" | 1200' | 4 |
| 639 00 41-09 | .095" | 840' | 4 |
| 639 00 41-13 | .105" | 690' | 4 |
| 639 00 40-17 | .130" | 450' | 4 |
| 5 lb. Spool | | | |
| 639 00 41-05 | .080" | 2000' | 4 |
| 639 00 41-10 | .095" | 1400' | 4 |
| 639 00 41-14 | .105" | 1150' | 4 |
| 639 00 41-18 | .130" | 750' | 4 |







Trim Force™ trimmer line

- Commercial grade co-polymer hexagon-shape design for great cutting performance along with reduced breakage and welding.
- Fits all standard trimmer heads.
- Orange color.
- Order Master Pack Qty to get Case Qty.

| SKU | Gauge | Length | Master Pack |
|--------------|-------|--------|-------------|
| 50' Donuts | | | |
| 639 00 61-01 | .065" | 50' | 10 |
| 639 00 61-02 | .080" | 50' | 10 |
| 639 00 61-08 | .095" | 50' | 10 |
| 1/2 lb. Donu | ts | | |
| 639 00 61-03 | .080" | 200' | 6 |
| 639 00 61-09 | .095" | 140' | 6 |
| 639 00 61-14 | .105" | 115' | 6 |
| 639 00 60-19 | .130" | 75' | 6 |
| 1 lb. Donuts | | | |
| 639 00 61-04 | .080" | 400' | 8 |
| 639 00 61-10 | .095" | 280' | 8 |
| 639 00 61-15 | .105" | 230' | 8 |
| 639 00 61-20 | .130" | 150' | 8 |
| 3 lb. Spools | | | |
| 639 00 61-11 | .095" | 840' | 4 |
| 639 00 61-16 | .105" | 690' | 4 |
| 639 00 61-21 | .130" | 450' | 4 |
| 639 00 61-24 | .155" | 300' | 4 |
| 5 lb. Spools | | | |
| 639 00 61-12 | .095" | 1400' | 4 |
| 639 00 61-17 | .105" | 1150' | 4 |
| 639 00 61-22 | .130" | 750' | 4 |
| 639 00 61-25 | .155" | 500' | 4 |







Common accessories

"Scepter" gas cans

| SKU | Description |
|--------------|--|
| 531 30 61-39 | Gas Can 1.25 Gal. US / 4.55 Litres |
| 531 30 61-41 | Gas Can 2.5 Gal. US / 10 Litres |
| 531 30 61-42 | Gas Can 5.3 Gal. US / 20 Litres |
| 531 30 61-45 | Gas Can 5 Gal. US / 25 Litres |
| 531 30 61-40 | Combined Oil & Gas Can 6 Lit. Gas / 2.25Lit. Oil |
| 531 30 77-66 | Diesel Can - Yellow 5 Gal.US / 20 Litres |

Replacement Parts

| • | |
|--------------|-------------------------------|
| 531 30 80-73 | Black Cap |
| 531 30 80-72 | Vent Cap |
| 531 30 80-71 | Stopper |
| 531 30 80-74 | Solid Cap |
| 531 30 80-75 | Solid Cap Gasket |
| 531 30 80-76 | Flexible Spout |
| 531 30 80-77 | Spout Gasket |
| 531 30 81-71 | Stopper For Scpter Gas Can |
| 531 30 85-14 | Stop N'flow (Gas Only)(44404) |











Common accessories

Granberg Alaskan Mark III Mill

- This advanced lumber mill was designed for versatile heavy-duty use.
- Available in three sizes (24", 30", 36") the Alaskan MKIII readily converts logs into beautiful slabs of perfectly dimensioned lumber in thicknesses from ³/₄" to 12".
- Frame design assures precision milling and easy installation.
- · No bar drilling is necessary.
- The MKIII clamps on the chain saw bar and will adjust to accommodate different bar sizes.
- · Adjusts for board thickness and width are made in seconds.
- Recommended for use on saws 80cc and over.

| Part No. | |
|--------------|-------------------------------------|
| 531 30 65-22 | G776-24 Alaskan MKIII w/ 24" rails. |
| 531 30 65-23 | G776-30 Alaskan MKIII w/ 30" rails. |
| 531 30 65-01 | G776-36 Alaskan MKIII w/ 36" rails. |
| 531 30 47-87 | Basic Mark III Frame |
| 531 30 47-90 | 24" Handle and rail set |
| 531 30 47-91 | 30" Handle and rail set |
| 531 30 47-92 | 36" Handle and rail set |
| 531 30 90-91 | V-Skid |
| 531 30 79-84 | Auxiliary oiler kit (G801A) |
| 531 30 89-58 | Ring for grip (G970) |
| 531 30 89-82 | 3/8-16 x 1 socket head cap screw |
| 531 30 89-87 | 5/16 U-bolt |
| 531 30 89-88 | Coupling nut 5/16-18 |
| 531 30 89-89 | Post clamp |
| 531 30 90-62 | End bracket |



Granberg mini mill

- This compact attachment combined with a chain saw converts the two tools into a single precision lumber-making mill.
- With the Mini-Mill anyone can make smooth ready to use dimensioned lumber from logs.
- Lumber can be milled in any desired thickness, 1 \times 6", 2 \times 4" etc.
- Comes complete with 12 feet of metal V-shaped guide rail.

| Part No. | |
|--------------|------------------------------------|
| 531 30 47-78 | G555-B Mini-Mill w/ 12' guide rail |
| 531 30 47-79 | G590-2 2'V-shaped guide rail |



Common accessories

Alaskan small log mill attachment

- G777 Perfect for the homeowner, woodworker or carpenter.
- This mill is compact, lightweight and easy to use and bolts to your saw bar with no drilling.
- Add your chain saw and start making lumber!
- Maximum 24" bar length

Part No.

531 30 47-88 Mini Mill



Log Wizard debarking tool

- This chain saw attachment turns your chain saw into an amazing tool to debark logs in less time than you ever thought possible.
- Perfect for log home builders, portable sawmill operators, farmers, ranchers and more.
- Simple construction allows for easy mounting.
- Uses standard 3 1/4 in. planer blades.

| SKU | |
|--------------|-----------------------------|
| 531 30 79-72 | Log Wizard Cpl 3 1/4" Blade |
| 531 30 84-41 | Log Master 11/4" Blade |
| 531 30 84-44 | Sprocket 3/8 - 7 (450060) |
| 531 30 84-45 | Spline Adaptor (450080) |
| 531 30 84-48 | Planer Blades (451100) |



Granberg slabbing rails

- G850 Contains 2 brackets and mounting hardware
- A set of slabbing rail brackets helps make the ideal guide for the mill to follow. Simply bolt
 the metal spreader brackets between two straight 2x4's every four or five feet and then
 mount the guide to the log.

SKU

531 30 47-97 Slab Rail Bracket



Granberg helper handles

• G975 Helper handle with idler roller bearing. Heavy die cast aluminum

| SKU | |
|--------------|------------------------|
| 531 30 48-01 | Helper Handle W/Roller |
| 531 30 79-54 | Bearing (G969) |
| 531 30 89-55 | ldler roller (G968) |



Oil

XP professional performance 2 cycle oil

- Our newest and best formulation is the "XP Professional Performance" 2-cycle lubricant.
- It is a synthetic blend designed for tough, professional usage.
- · Handles high loads at tough professional usage
- Excellent lubricating properties
- Lowers engine operating temperatures
- · Less coating on the piston and in crankcase
- Extends the engine's life, Provides longer service intervals
- Low to medium smoke emission, Includes fuel stabilizer

| 544 10 61-01 | 48 X 100 ml |
|--------------|-------------|
| 544 10 61-02 | 24 X 200 ml |
| 544 10 61-03 | 12 x 500 ml |



4 Cycle motor oil 30W

SKU

610 00 00-92 12 X 591 ml



Bar and chain oil

SKU

610 00 01-52 4 x 1 gallon - Summer **610 00 01-54** 4 x 1 gallon - Winter



Vegetable chain oil

SKU

531 00 75-75 500 ml
531 00 75-78 5 Litres
531 00 75-77 20 Litres

IMPORTANT PRICING NOTE

Oil pricing parameters are constantly changing.

Please refer to seasonal program pricing offers.



Oil

